

Wood Buffalo Environmental Association Ambient Air Monitoring Station Site Documentation

Jackfish 1

LAST UPDATED: FEBRUARY 5, 2021

Table of Contents

WBEA Monitoring Network	4
Vision	4
Mission	4
General Site Information	9
Station	9
Location	9
Owner/Operator/Approval Holder	9
Site Description	9
Site Influences	10
Localized Sources (within 20 metres of station)	10
Roadway Influences	10
Major Point Sources	10
Analytical Equipment	11
Support Equipment	11
Site photos	15
Station Photos	19

Tables and Figures

Table 1.0 - Pollutant Parameters monitored in the WBEA network	5
Table 1.1 – Meteorological Parameters monitored in the WBEA network	
Table 1.2 – Time-Integrated Parameters monitored in the WBEA network	7
Figure 1.0 – WBEA Network Monitoring Sites	8
Figure 2.0 – Area Topographic map showing AMS 506	12
Figure 3.0 – Plan view sketch for AMS 506 site	13
Figure 4.0 – Aerial photo showing AMS 506	
Figure 5.0 – Environ Looking North	15
Figure 5.1 – Environ Looking East	16
Figure 5.2 – Environ looking South	
Figure 5.3 – Environ Looking West	18
Figure 5.4 – Meteorological Tower	
Figure 6.0 – Photo showing the inlet and sample manifold	20
Figure 6.1 – Curb shot of the monitoring station	21
Figure 6.2 –Photo of front and back of instrument rack	22
Figure 7.0 – Windrose (Five Year)	23

WBEA Monitoring Network

Vision

People are empowered to make informed decisions to ensure a safe and healthy environment.

Mission

The Wood Buffalo Environmental Association is a multi-stakeholder, consensus-based organization that leads in state of the art environmental monitoring to enable informed decision-making.

Continuous ambient air quality and meteorological data are collected under the Ambient Air Monitoring (AAM) group in WBEA. The WBEA currently operates 29 permanent continuous monitoring stations, each measuring various air quality parameters. The continuously measured air quality parameters include SO₂, H₂S, TRS, O₃, NO_x, NO, NO₂, NH₃, CO, CO₂, PM_{2.5}, THC, NMHC, and CH₄. All sites also measure ambient air temperature, wind speed, wind direction, and relative humidity. Selected sites measure barometric pressure, global radiation, precipitation, surface wetness, vertical wind speed, vertical temperature gradient, and visibility. The ambient air monitoring parameters for each station are summarized in Table 1.0 and 1.1. The WBEA also maintains and operates five portable monitoring stations. The configuration of these stations differs depending on their task. Three are configured for compliance monitoring and are equipped to measure SO₂, H₂S, NO_x, NO, NO₂, THC, wind speed, wind direction, temperature. One portable is equipped to monitor all these compliance parameters as well as PM_{2.5}. The last portable is set up to operate gas chromatography systems and currently has a Sulphur and VOC GC installed to collect speciated data for the Odour Monitoring Program within WBEA.

Since 1998 WBEA has maintained time-integrated sampling for $PM_{2.5}$, PM_{10} , VOC and PAH. The sampling for time-integrated monitoring has evolved with a better understanding of technology, analytical laboratory methods and sample deployment and collection methods. Time-integrated samples in the WBEA ambient air monitoring network are collected on the National Air Pollution Surveillance (NAPS) schedule every 6 days for a 24-hour period. The time-integrated parameters for each station are summarized in Table 1.2.

Table 1.0 provides a listing of stations with their names and corresponding WBEA identification number and the air quality parameters measured by continuous methods at each site. Parameters measured include hydrogen sulphide (H_2S) , total reduced sulphur (TRS), sulphur dioxide (SO_2) , nitrogen dioxide (NO_2) , total hydrocarbons (THC), methane (CH_4) , non-methane hydrocarbons (NMHC), ammonia (NH_3) , carbon monoxide (CO), and carbon dioxide (CO_2) . Sites are categorized as industrial or community, based on the setting in which they are located.

WBEA ID	ТҮРЕ	STATION NAME	SO ₂	NO/NO₂/ NO _x	O ₃	PM _{2.5}	TRS	H₂S	тнс	Methane NMHC	со	CO ₂	NH ₃
1	COMMUNITY	BERTHA GANTER- FORT MCKAY	Х	Х	Х	Х	Х		Х	х	Х	Х	Х
2	COMPLIANCE	MILDRED LAKE	Х					Х	Х	Х			
3	METEOROLOGICAL	LOWER CAMP MET TOWER											
4	COMPLIANCE	BUFFALO VIEWPOINT	Х	Х	Х	Х		Х	х	Х			
5	COMPLIANCE/ METEORLOGICAL	MANNIX	Х					Х	Х	Х			
6	COMMUNITY	PATRICIA MCINNES	X	Х	Х	Х	Х		Х	Х			Х
7	COMMUNITY	ATHABASCA VALLEY	Х	Х	Х	X	Х		Х	Х	X		
8	COMMUNITY/ COMPLIANCE	FORT CHIPEWYAN	X	Х	Х	Х					Х	Х	
9	ATTRIBUTION	BARGE LANDING	Χ	X		Х	Χ		Х	Х			
11	COMPLIANCE	LOWER CAMP	Χ					Х	Х	Х			
13	COMPLIANCE/ ATTRIBUTION	FORT MCKAY SOUTH	Х	Х	Х	Х	Х		Х	Х			
14	COMPLIANCE/ COMMUNITY	ANZAC	X	Х	Х	Х	Х		Х	Х			
17	COMPLIANCE	WAPASU	Χ	Х	Χ	Х		Х	Х				
18	BACKGROUND	STONY MOUNTAIN	X	Х	Х	Х	Х		х	х	Х	Х	
19	COMPLIANCE	FIREBAG	Χ	X				Χ	Х				
20	COMPLIANCE	MACKAY RIVER	Χ	Х				Х	Х				
21	COMMUNITY	CONKLIN	Χ	Χ	Х	Х	Χ		Х	Х			
22	COMMUNITY	JANVIER	Х	Х	Х	Х	Х		Х	Х			
23	COMPLIANCE	FORT HILLS	Χ	Χ		Χ	Χ		Х	Х			
25	EMERGENCY RESPONSE	WASKOW OHCI PIMATISIWIN	X					Х					
26	COMPLIANCE	CHRISTINA LAKE	Χ	Χ				Χ					
27	COMPLIANCE	JACKFISH 2/3	Х	Х				Х					
29	COMPLIANCE	SURMONT 2	Х	Х		Х		Х	Х				
30	COMPLIANCE	ELLS RIVER	Х	Х		Х	Х			Х			
501	COMPLIANCE	LEISMER	Х	Х				Х	Х				
505	COMPLIANCE	SAWBONES BAY	Х	Х				Х	Х				
506	COMPLIANCE	JACKFISH 1	Χ	Х			Χ						
508	COMPLIANCE	KIRBY NORTH	Χ	Х				Х	Х				

Table 1.0 - Pollutant Parameters monitored in the WBEA network

Table 1.1 provides a listing of stations and meteorological parameters measured by continuous methods. Parameters measured include ambient temperature, relative humidity, wind speed, wind direction, vertical wind speed, solar radiation, precipitation, and leaf wetness

WBEA ID	ТҮРЕ	STATION NAME	Temperature	RH	ВР	Wind Speed	Wind Direction	Vertical Wind Speed	Solar Radiation	Precipitation	Leaf Wetness
1	COMMUNITY	BERTHA GANTER- FORT MCKAY	X	Х		х	x		x	x	x
2	COMPLIANCE	MILDRED LAKE	Х	Х		Х	Х				
3	METEOROLOGICAL	LOWER CAMP MET TOWER	Х	х		Х	Х	Х			
4	COMPLIANCE	BUFFALO VIEWPOINT	Х	Х		Х	Х				
5	COMPLIANCE/ METEORLOGICAL	MANNIX	Х	Х		Х	Х	Х			
6	COMMUNITY	PATRICIA MCINNES	x	Х		Х	х				
7	COMMUNITY	ATHABASCA VALLEY	Х	Х	Х	Х	Х				
8	COMMUNITY/ COMPLIANCE	FORT CHIPEWYAN	Х	Х		Х	х		Х		Х
9	ATTRIBUTION	BARGE LANDING	х	Х	Х	Х	Х				
11	COMPLIANCE	LOWER CAMP	Х	Χ		Х	Х				
13	COMPLIANCE/ ATTRIBUTION	FORT MCKAY SOUTH	Х	Х		Х	Х				
14	COMPLIANCE/ COMMUNITY	ANZAC	Х	Х		Х	Х				Х
17	COMPLIANCE	WAPASU	Х	Χ		Х	Х			Χ	
18	BACKGROUND	STONY MOUNTAIN	Х	Х		Х	Х		Х	X	Х
19	COMPLIANCE	FIREBAG	Х	Χ		Х	Х				
20	COMPLIANCE	MACKAY RIVER	Х	Χ		Х	Х			Х	
21	COMMUNITY	CONKLIN	Х	Χ		Х	Х				
22	COMMUNITY	JANVIER	Х	Χ		Х	Х				
23	COMPLIANCE	FORT HILLS	Х	Χ		Х	Х				
25	EMERGENCY RESPONSE	WASKOW OHCI PIMATISIWIN	x	Х		Х	Х				
26	COMPLIANCE	CHRISTINA LAKE	x	Х		Х	Х				
27	COMPLIANCE	JACKFISH 2/3	X	Χ		Х	Х				
29	COMPLIANCE	SURMONT 2	Χ	Χ		Х	Х				
30	COMPLIANCE	ELLS RIVER	X	Х		Х	х				
501	COMPLIANCE	LEISMER	Х	Χ		Х	Х				
505	COMPLIANCE	SAWBONES BAY	X	Х		Х	Х				
506	COMPLIANCE	JACKFISH 1	Х	Χ		Х	X				
508	COMPLIANCE	KIRBY NORTH	Х	Χ		Х	Х				

Table 1.1 – Meteorological Parameters monitored in the WBEA network

Table 1.2 provides a listing of stations and air quality parameters measured by time integrated methods. Parameters measured include volatile organic compounds (VOC), particulate matter less than 2.5 μ m aerodynamic diameter (PM_{2.5}) and associated metals and ions, particulate matter less than 10 μ m aerodynamic diameter (PM₁₀) and associated metals and ions, polycyclic aromatic hydrocarbons (PAH), and precipitation samples.

WBEA ID	ТУРЕ	STATION NAME	voc	PM _{2.5} Mass, Metals and Ions	PM2.5 Mass, ECOC	PM ₁₀ Mass, Metals and lons	РАН	PRECIP
1	COMMUNITY	BERTHA GANTER-FORT MCKAY	Х	X	Х	X	Х	Х
6	COMMUNITY	PATRICIA MCINNES	Х	Х		х	Х	
7	COMMUNITY	ATHABASCA VALLEY	Х	Х		Х	Х	
9	ATTRIBUTION	BARGE LANDING	Х					
13	COMPLIANCE/ ATTRIBUTION	FORT MCKAY SOUTH	Х			Х		
14	COMPLIANCE/COMMUNITY	ANZAC	Х	Х		х	Х	
17	COMPLIANCE	WAPASU			Х			Х
18	ENHANCED DEPOSITION/ BACKGROUND	STONY MOUNTAIN			х			Х
21	COMMUNITY	CONKLIN	Х	Х		Х	Х	
22	COMMUNITY	JANVIER	Х	Х		х	Х	
30	COMPLIANCE	ELLS RIVER	Х			Х		

Table 1.2 – Time-Integrated Parameters monitored in the WBEA network




Figure 1.0 – WBEA Network Monitoring Sites

General Site Information

Station

Station ID	AMS 506
Station name	Jackfish 1
Date station established	Aug 16, 2018

Location

Station street address	Located SE of Jackfish construction camp
Legal land description	8-28-75-6-W4
Latitude	55.523816
Longitude	-110.865345
UTM East	508501.10
UTM North	6153091.90
Nearest community	Conklin
Community population	185

Owner/Operator/Approval Holder

Operating Agency	Wood Buffalo Environmental Association
Name of Approval	Devon Canada Corporation
Holder	
Approval number	224816-00-00
Contact Name	Garett White
Address	333 West Sheridan Avenue Oklahoma City, Oklahoma 73102-5015
Phone number	(780) 799-1889
Email address	Garett.white@dvn.com

Site Description

	0 – 90 degrees	SAGD Operations		
Land use by sector	91 – 180 degrees	SAGD Operations		
Land use by sector	181 – 270 degrees	SAGD Operations		
	271 – 360 degrees	SAGD Operations		
Site elevation	620m			
(above sea level)				
Angle of elevation to	Greatest angle	28 degrees		
nearby buildings	Trees direction	West		
	North	No		
Airflow roctrictions	East	No		
Airflow restrictions	South	Trees		
	West	Trees		
Sample manifold	Туре	All glass		
Sample manifold	Inlet height above roof	1 meter		
	Туре	Cup and vane		

Meteorological	Height above ground	10m
Sensors	Distance from station	7m

Site Influences

Localized Sources (within 20 metres of station)

Туре	Distance (m)	Description

Roadway Influences

Туре	Traffic Volume	Distance (m)	Description
Dirt/gravel	Low	20	Used by site workers

Major Point Sources

Facility Name	Source Type	Production Capacity	Distance from site (m)	Compass direction from site
Devon Energy	SAGD Plant		400	N

Analytical Equipment

Parameter	Owner	Make	Model	Serial Number	Date Installed
Sulfur Dioxide	WBEA	Thermo Instruments	43i	1160290011	08/17/2018
Hydrogen Sulfide	WBEA	Thermo Instruments	450i	0922436967	08/17/2018
Oxides of Nitrogen	WBEA	Thermo Instruments	42i	1218153356	08/17/2018
Temperature/RH	WBEA	Vaisala	HMP155	K1720033	08/17/2018
Wind speed	WBEA	Met One	010C-1	A1406	08/17/2018
Wind direction	WBEA	Met One	020C-1	Y3166	08/17/2018

Support Equipment

Name	Description	Make	Model	Serial Number
Datalogger	Datalogger	Campbell Scientific	CR3000	9035
Zero air generator	Zero Air Generator	Teledyne/API	701	4865
HVAC	Heating and air conditioning system. Wall mount unit	BARD	1 ton	
Shelter / Building	Air monitoring portable	ITB	8 x 16 trailer	ITB1315940
Gas Dilution Calibrator	Mass flow controlled gas dilution	Teledyne/API	T700	622



Figure 2.0 – Area Topographic map showing AMS 506




Figure 3.0 – Plan view sketch for AMS 506 site



Figure 4.0 – Aerial photo showing AMS 506

Site photos

The following photos show the environment surrounding the monitoring station.



Figure 5.0 – Environ Looking North



Figure 5.1 – Environ Looking East




Figure 5.2 – Environ looking South



Figure 5.3 – Environ Looking West



Figure 5.4 – Meteorological Tower

Station Photos

The following photos show the monitoring station and instrumentation.



Figure 6.0 – Photo showing the inlet and sample manifold



Figure 6.1 – Curb shot of the monitoring station



Figure 6.2 –Photo of front and back of instrument rack




Figure 7.0 – Windrose (Five Year)