



Wood Buffalo Environmental Association Progress Report

2024-2025
Q1: April - June

SUBMITTED JULY 2024



Table of Contents

1. Contract Scope and Delivery.....	3
2. Introduction	4
3. Atmospheric Pollutant Active Monitoring Network, 2023-2024 Work Plan Reference A-LTM-S-1-2324	5
4. Integrated Atmospheric Deposition Monitoring, 2023-2024 Work Plan Reference A-PD-6-2324	20
5. Appendix A – Adhering to Contract Clauses	29
6. Appendix B – Summary of Air Monitoring Stations & Parameters in the WBEA Network	31
7. Appendix C – Map of the WBEA Monitoring Network.....	35

List of Tables

Table 1. 2023-2024 Alberta EPA Contracts and Work Plans.....	3
Table 2. WBEA Continuous Analyzer Operation Statistics, by Month, January to March 2024	7
Table 3. Location of Portable Stations in WBEA Network, April to June 2024	8
Table 4. Continuous Analyzer Operation Statistics by Parameter, January to March 2024	8
Table 5. Time Integrated Sample Collection - Incidents and Recovery, January to March 2024	9
Table 6. List of Internal WBEA Audits, April to June 2024	10
Table 7. Number of Odour Observations Submitted in 2024.....	10
Table 8. Total number of Exceedances by Parameter, from January to March 2024	14
Table 9. WBEA Non-Compliances, January to March 2024	15
Table 10. Schedule of Monthly Air Monitoring Reports and Quality Assured Data Submissions	18
Table 11: Declared Conflicts of Interest in Q1, April to June 2024	29
Table 12: Summary of stations and continuously measured parameters at.....	31
Table 13: Summary of stations and meteorological parameters measured continuously.....	32
Table 14: Summary of parameters measured using.....	33
Table 15: Summary of stations and continuous/semi-continuous methods.....	33
Table 16: Summary of stations and studies for research and development purposes	34

1. Contract Scope and Delivery

This Progress Report is submitted quarterly by the Wood Buffalo Environmental Association (WBEA) on behalf of its members to Alberta Environment and Protected Areas (EPA) in accordance with the services and deliverables listed in Schedule A of the Government of Alberta contract 24RSD823 and 24RSD828, as amended.

As per the Alberta EPA contracts (Table 1), the WBEA provides environmental monitoring services based on the annual Oil Sands Monitoring (OSM) work plans and associated costs.

The WBEA received notice that its 2024-2025 workplan and budget had been approved by the OSM Program on April 9, 2024. The WBEA is awaiting the amendment to its Alberta EPA contract with updated deliverables; therefore, this workplan continues to report against the 2023-2024 contract deliverables.

Table 1. 2024-2025 Alberta EPA Contracts and Work Plans

Alberta EPA Contract	Work Plan Name	Work Plan Reference
24RSD823	Atmospheric Pollutant Active Monitoring Network	A-LTM-S-1-2425
24RSD828	Integrated Atmospheric Deposition Monitoring	A-PD-6-2425

2. Introduction

The WBEA is a multi-stakeholder, community-based, not-for-profit association that operates in the largest municipality in Canada. The WBEA monitors the air in the Regional Municipality of Wood Buffalo (RMWB) 24 hours a day, 365 days a year and conducts a variety of air, land, and odour monitoring programs. The information collected from all the WBEA's air monitoring stations between Conklin and Fort Chipewyan, most of which are located at or near oil extraction plants, is openly and continuously shared with stakeholders and the public on the WBEA's website (<https://wbea.org/>) and through annual reports, community engagement, and outreach activities.

An Air Quality Task Force was established in 1985 to address environmental concerns raised by the Fort McKay First Nation related to oil sands development. In 1990, this Task Force became the Regional Air Quality Coordinating Committee. Then in 1996 the area was endorsed as a regional airshed by the Clean Air Strategic Alliance (CASA). The WBEA was incorporated as an Alberta Non-Profit Society in 1997 and assumed responsibility for air quality monitoring within the boundaries of the RMWB. The WBEA became a working partner of the Alberta Environmental Monitoring, Evaluation and Reporting Agency (AEMERA) in 2014. With the dissolution of AEMERA on June 30th, 2016, the WBEA began working with the OSM Program and Alberta EPA to fulfill its mandate to provide independent ambient air monitoring in the region.

The WBEA submits annual work plans to the OSM Program. Once the work plans, and any required changes, are approved, the WBEA receives a contract with deliverables for the work from Alberta EPA. This Progress Report is a quarterly update on the work agreed to in the OSM Work Plans and the associated Alberta EPA Contract and includes program updates, exceedances and non-compliances, research and development overviews and adaptive monitoring progress.

Note: Ambient air and laboratory data must be quality assured and controlled prior to submittal to Alberta Environment's Air Data Warehouse and upload to the WBEA website. The data validation process follows one month behind the current month (i.e., data from May is reviewed throughout June and submitted by the end of June). **To ensure reporting of the most accurate data, this progress report will include data and statistics from the previous quarter (2023-2024 Q4) that have already been validated, where applicable.**

3. Atmospheric Pollutant Active Monitoring Network, 2023-2024 Work Plan Reference A-LTM-S-1-2324

The components of the Atmospheric Pollutant Active Monitoring Network Work Plan that are fulfilled, or supported, by the WBEA are described below:

- (1) **Long-term core ambient air monitoring network** – includes continuous and time-integrated air monitoring. The Wood Buffalo Environmental Association (WBEA) operates 29 ambient air monitoring stations (AMSs) in the Athabasca Oil Sands Region (including the acute air monitoring station in Fort McKay - Waskōw ohci Pimâtisiwin). The Lakeland Industry and Community Association (LICA) operates 4 AMSs in the Cold Lake Oil Sands Region, and the Peace River Area Monitoring Program (PRAMP) operates 5 AMSs in the Peace River Oil Sands Region. All three airsheds collect time-integrated samples for the National Air Pollution Surveillance (NAPS) program and other parameters that cannot be collected through continuous monitoring. The long-term core air monitoring network was developed to fulfill EPEA Approval compliance monitoring requirements and satisfy community and scientific interests. Both the WBEA and PRAMP core ambient air monitoring networks are undergoing assessments to develop a series of recommendations to rationalize/optimize the network. The results of these assessments are not expected until late 2022 or early 2023 but recommendations can start informing network changes in 2023/24.
- (2) **Recommendations 14/15 in the report "Recurrent Human Health Complaints Technical Information Synthesis – Fort McKay Area"** (Alberta Energy Regulatory and Alberta Health, 2016) – continue to be implemented. Implementation of these recommendations will improve air monitoring consistency within 30 km of Fort McKay and allow improved characterization of the air pollutants and their sources that cause air quality and odour concerns in the community. Some aspects of this monitoring are intended to be short-term or focused, as described in Section 10.0 Work Plan Approach/Methods.
- (3) **Odour Monitoring** – The WBEA created an odour monitoring app (COMP) that allows the public to provide anonymous information on the odours they experience. The app collects information such as odour type, intensity, duration, timing and location. The collected information is compared to data at WBEA ambient air monitoring stations to determine if or how ambient air quality trends are related to odours. All submitted odour observations and annual reports can be found at <https://comp.wbea.org/>.
- (4) **Transition to an Adaptive Monitoring Approach** – will continue in 2023-24. This will involve a structured approach to: (a) reviewing the existing monitoring network and document the purpose or objective for each station and for each parameter monitored at each station; (b) developing a shared understanding of regulatory and community expectations that will guide any OSM adaptive monitoring framework based adjustments required to the current long-term surveillance program; (c) determining which air quality parameters are applicable for the Adaptive Monitoring approach; (d) quantifying baselines for selected parameters; and (e) establishing limits of change for selected parameters.

In addition, the Atmospheric Pollutant Active Monitoring Network work plan includes collaboration with two community-based (FMFN and Fort McKay Metis Nation (FMMN)) monitoring projects, one for dust and one for odour that were by that were approved for funding and commenced in 2022-23.

Lastly, the Oski-ôtin air monitoring station in Fort McKay has been decommissioned. This was formerly a standalone component of this work plan. No funds will be requested in 2023/24 for Oski-ôtin, although several reporting products involving Oski-ôtin measurements will be released in 2023/24.

The objectives of the 2023-24 work plan are:

- (1) To measure impacts from Oil Sands development on ambient air quality.*
- (2) To provide ambient air data that citizens, industrial members, and regulatory bodies can use to make informed decisions on health, facility compliance, and environmental management policy.*
- (3) To provide ambient air data for community needs, including the Air Quality Health Index (AQHI), the Fort McKay Air Quality Index (FMAQI), and measuring representative ambient concentrations in populated areas.*
- (4) Implement ambient air monitoring approved by the Fort McKay Air Quality and Odour (FMAQO) Advisory Committee (specific to Recommendations 1, 14 and 15).*
- (5) To measure air parameters in Fort McKay that will assist in odour identification and source characterization/attribution during air quality and odour events.*
- (6) To understand the impacts of Oil Sands development on the odours experienced in communities in the AOSR.*
- (7) To understand the relationship between the odours experienced by community members and the ambient air data collected at active air monitoring stations.*
- (8) To measure air parameters in Fort McKay that will assist in dustfall identification and source characterization during dustfall and low visibility events.*
- (9) To understand the impacts of Oil Sands development on the dustfall experienced in Fort McKay.*
- (10) To understand the relationship between the dustfall experienced by community members in Fort McKay and the ambient air data collected at active air monitoring stations.*
- (11) To ensure that monitoring carried out in the region is relevant to the concerns of community members.*
- (12) To implement the adaptive monitoring approach, as directed by the OSM Program Oversight Committee, where appropriate in the Atmospheric Pollutant Active Monitoring Network.*
- (13) Create an Indigenous-led air monitoring program in the Peace Athabasca Delta and at reserve locations in partnership with WBEA.*
- (14) Expand the Fort Chipewyan air monitoring capabilities to fill the air quality data gap with time integrated sampling.*
- (15) Build community capacity through training of ACFN and MCFN Personnel for sampling program operations and maintenance.*

The following section provides details on the Q1 2024-2025 milestones and objectives under Workplan A-LTM-S-1-2425 (Atmospheric Pollutant Active Monitoring Network). Deliverables are from the Government of Alberta contract 24RSD823.

3.1 Continuous Monitoring – Operate 29 ambient air monitoring stations including the acute air monitoring station in Fort McKay (Waskōw ohci Pimâtisiwin - FMAQOAC Recommendation 1).

i. Complete monthly calibrations at all ambient air monitoring stations in the WBEA network in compliance with Alberta's Air Monitoring Directive (AMD). Perform preventative maintenance and repairs, as required.

A total of 30 ambient air monitoring stations, including the acute air monitoring station in Fort McKay, were operating this past quarter. A total of 161 analyzers and 84 sensors were operated in each of January, February, and March 2024. Operational average times for January to March 2024 are included in Table 2. Average operational times were lower in January at 97.9% but then remained relatively constant for February and March at 99.2% and 99.4% respectively.

Monthly calibrations were completed at all air monitoring stations, in compliance with the Air Monitoring Directive (AMD). Preventative maintenance and repairs were carried out as needed (see Table 5 for internal audits).

Table 2. WBEA Continuous Analyzer Operation Statistics, by Month, January to March 2024

Month	Average Operational Time (%)	# of Analyzers with Operational Uptime %						Total # of Analyzers
		< 90*	90 to 92	93 to 94	95 to 96	96 to 98	98 to 100	
January 2024	97.9	3	11	2	9	12	124	161
February 2024	99.2	1	1	5	4	7	143	161
March 2024	99.4	0	2	3	6	4	147	161

*For details on analyzers operating at less than 90% uptime, please refer to Section 3.10.ii: Table 9.

ii. Perform annual calibrations on meteorological sensors at air monitoring stations.

Annual meteorological calibrations at each station are conducted throughout the year. This includes Wind Speed/Wind Direction and Temp/RH. Three stations (AMS 18, AMS 21, AMS 512) have had their WS/WD calibrations completed so far in 2024; the remaining stations and parameters will be completed over the summer.

iii. Provide locations of Portable Stations in the WBEA Network.

The locations of portable stations in the WBEA Network for 2024-2025 Q1 are listed in Table 3.

Table 3. Location of Portable Stations in WBEA Network, April to June 2024

WBEA Portable Number	April	May	June
AMS 101	WBEA Centre	WBEA Centre	WBEA Centre
AMS 102	Leismer	WBEA Centre	Jackfish 1
AMS 103	BlackGold	WBEA Centre	WBEA Centre
AMS 104	Sawbones Bay	Sawbones Bay	Sawbones Bay
AMS 105	Bertha Ganter – Fort McKay	Bertha Ganter – Fort McKay	Bertha Ganter – Fort McKay
AMS 106	WBEA Centre	WBEA Centre	WBEA Centre
AMS 28	Kirby South	Kirby South	Kirby South

iv. Provide continuous analyzer operation statistics, by month.

Continuous analyzer operation statistics are provided in Table 4. A total of 4 analyzers operated below 90% uptime between January and March 2024; these four analyzers included three THC and one CO₂. No analyzers operated below 90% in March 2024.

Table 4. Continuous Analyzer Operation Statistics by Parameter, January to March 2024

Month	Overall Average Operational Time	No. of analyzer(s) below 90%	SO ₂	H ₂ S	TRS	THC	O ₃	NO ₂	CO	CO ₂	NH ₃	PM _{2.5}	Wind
January 2024	97.9	3	0	0	0	2	0	0	0	1	0	0	0
February 2024	99.2	1	0	0	0	1	0	0	0	0	0	0	0
March 2024	99.4	0	0	0	0	0	0	0	0	0	0	0	0
Numbers of analyzers in the network		161	27	16	12	21	11	23	4	3	2	15	27
Total Number of non-compliances In 12 months		26	0	0	1	7	1	2	0	2	3	2	8
Percentage of non-compliance by parameter			0%	0%	3.8%	26.9%	3.8%	7.7%	0%	7.7%	11.5%	7.7%	30.8%

3.2 Time-Integrated Monitoring – Operate and maintain the WBEA’s time-integrated sampling network, maintenance, and sample results.

i. Complete routine deployment and collection of time-integrated sampling. Perform preventative maintenance and repairs, as required.

The WBEA collected and deployed a total of 1,000 samples from January to March 2024 (See Appendix B for equipment present at each AMS location). The WBEA maintained a recovery rate of 99.2% for the quarter; details on sample collection incidents and recovery percentages are provided below in Table 5. The lower number of samples deployed in February was due to the low number of NAPS days that month. Most of the incidents during this quarter were due to pump or motor failure.

Preventative maintenance and repairs were conducted by Deposition Technicians, as needed. Examples of maintenance conducted this quarter include pump and sample line replacements, new bucket for the precipitation sampling, and line leak fixes.

Table 5. Time Integrated Sample Collection - Incidents and Recovery, January to March 2024

Month	No. of Incidents	Total No. of samples	% Recovery	# NAPS days	Incidents per Sample Type									
					PM _{2.5}	PM ₁₀	EC/OC	VOC	PAH	Precip	TSP	Dustfall	TSSS	
January 2024	3	372	99.2	6	1	1	0	1	0	0	0	0	0	NA*
February 2024	2	256	99.2	4	0	0	0	0	2	0	0	0	0	NA*
March 2024	3	372	99.2	6	0	0	0	1	2	0	0	0	0	NA*
Q4 Total	8	1,000	99.2	16	1	1	0	2	4	0	0	0	0	NA*

* TSSS samples are only deployed during summer months as they cannot operate in freezing temperatures.

ii. Perform quarterly calibrations and audits of sampling equipment.

Quarterly calibrations and audits of time-integrated sampling equipment are to be completed at all stations. Four calibrations were completed in May and the remainder were completed in June 2024.

iii. Make time-integrated data available online.

Time-Integrated data can be accessed online at <https://wbea.org/data/time-integrated-data-search/>

iv. Submit time-integrated data with annual data report.

Time-Integrated data is submitted in the annual data report in Volume 2. The WBEA 2023 Ambient Data Annual Report can be found at <https://wbea.org/resources-section/annual-data-report/>

3.3 Continue the WBEA’s Quality Assurance Program

i. Maintain the WBEA’s Reference Centre, including monthly calibrations on reference analyzers, perform CGAs, and maintain primary reference materials.

Over the last quarter, regular maintenance and calibrations were carried out on instruments in WBEA’s Reference Centre and a total of 21 CGAs were conducted. 7 of the 21 CGAs failed their audits, indicating the concentration was +/- 5% from the stated concentration. When failures occur, the WBEA does not deploy the cylinders and returns them to the manufacturer for replacement.

ii. Complete annual internal audits at all WBEA ambient air monitoring stations.

The WBEA has an internal audit program that follows the same procedures as the Alberta EPA; however, the WBEA applies stricter audit criteria allowing the WBEA to initiate investigations and potential maintenance repairs before an AMS analyzer would fail Alberta EPAs audit. Two internal audits were completed this quarter (Table 6).

Table 6. List of Internal WBEA Audits, April to June 2024

Air Monitoring Station	Audit Date	Parameters Audited	Audit Response	Follow-up
Ells River	April 24, 2024	SO ₂ , TRS, NMHC, NO _x , PM _{2.5}	Average NMHC channel response was 7.4% high.	Follow-up investigation determined site gas cylinder to be replaced.
Conklin	April 25, 2024	SO ₂ , TRS, NMHC, NO _x , PM _{2.5}	NMHC average response 10.0% high, no other issues observed with audit.	Follow-up audit done with NMHC on May 1 st and drift observed on channel. Calibration done on May 2 nd to correct the response. Site calibrations continued to show consistent high response, so the site calibrator is to be replaced.

3.4 Operate the Community Odour Monitoring Program (COMP) App.

The Community Odour Monitoring Program (COMP) was launched in September 2017 to help understand the link between odour in the communities and ambient air quality. Users submit odour observations through the WBEA COMP App. The number of odour observations and unique users that were submitted through the COMP App in 2024 are listed in Table 7.

Table 7. Number of Odour Observations Submitted in 2024

Month	Observations	Unique Users
January	2	2
February	3	3
March	2	2
April	1	1
May	10	6
June		
July		
August		
September		
October		
November		
December		

Near real-time odour observation information, data from the WBEA’s community air monitoring stations for odour-causing compounds and all past COMP annual reports can all be found at <https://comp.wbea.org/>.

This last quarter the 2023 COMP Annual Report was finalized. The 2023 report can be found at the following website: <https://comp.wbea.org/2023-annual-report/>

A five-year data review was started to examine the link between odour observations and ambient air quality measurements. The data review was first conducted for observations from within the city of Fort McMurray, with the goal to use the same statistical methods for other communities with odour observations. The information so far has been presented to the OMP and AATC committees along with the General Members committee and at two Air and Waste Management (AWMA) conferences (Toronto in May, and Calgary in June).

i. Create awareness of the COMP and COMP App for community members.

COMP Program advertisements at Rogers SportsNet and Landmark Cinemas Fort McMurray ran in the 2023/2024 year. The OMP committee is determining the future of the COMP program. An advertising and public awareness campaign will be developed if required.

ii. Release publicly available annual report on the WBEA website.

The 2023 COMP Annual Report was finalized and available online on April 2nd, 2024. The 2023 report can be found at: <https://comp.wbea.org/2023-annual-report/>. Print copies of the 2023 COMP Annual Report are available upon request.

3.5 Modify operations and reporting to meet new requirements in the Air Monitoring Directive (AMD).

No modifications in operations or reporting were required to meet changing AMD requirements in the fourth quarter of 2023-2024. The Alberta EPA is anticipated to release a new 30-minute average TRS guideline; at the time of writing this report, this guideline had yet to be released. Once implemented, the WBEA will be required to update its data management system to produce 30-minute averages.

3.6 Continue partnership with Athabasca Chipewyan First Nation (ACFN) and Mikisew Cree First Nation (MCFN) to create an Indigenous-led air monitoring program in the Peace Athabasca Delta.

At the end of 2022-2023, the WBEA, ACFN, and MCFN successfully completed the three-year plan to expand the air monitoring capabilities within the community of Fort Chipewyan and support the Air Quality Monitoring in the Peace Athabasca Delta Indigenous Community Based Monitoring (ICBM) work plan. ACFN and MCFN staff now operate and maintain the Fort Chipewyan AMS and changeout time-integrated and deposition samples. This work is ongoing and is now considered routine network operations.

On December 7th, 2023, a proposal was provided to the TEEM Committee for the expansion of the Deposition Program to Fort Chipewyan which will be an expansion of the current air monitoring program. The proposal was accepted via e-vote. This work will include two denuders, two sets of IERs and one set of passives that would be changed out by ACFN and MCFN staff (see Section 4 for more details on each program expansion).

Reporting of data collected at the Fort Chipewyan AMS is included in the WBEA's routine monthly and annual reports, which are submitted to the Alberta EPA, and are available on the WBEA's website.

3.7 Provide updates on Special Studies conducted by the WBEA to improve understanding of air quality in the RMWB region, monitoring methods, assessment of technology changes and method validation.

The WBEA conducts several special studies to ensure methods, technology, and data are of the highest quality. The following projects are currently being conducted by the WBEA:

Continuous Hydrocarbon Instrument Evaluation Study: The goal of this study is to ensure the WBEA hydrocarbon analyzers are accurately reporting ambient hydrocarbon concentrations. This study is separated into two phases:

Phase 1 (Complete) The intent of phase one was to compare Thermo 51i to Thermo 55i analyzers. This was done in a co-location study and any differences in the data response between the different analytical technologies was examined. The reason for this analysis was that the WBEA recently replaced Thermo 51i analyzers with Thermo 55i analyzers at several stations. Phase one results indicated that the Response factor (RF) for the 51iTHC analyzer was much lower than expected for propane only.

Phase 2 (Started) Based on the findings of the phase one study, the WBEA determined it was important to better understand the differences in analyzer response factors for propane across multiple manufactured flame ionization detector systems. The WBEA decided to include five instruments in this study: Thermo 51i, Thermo 55i, API N901, Mocon 9000NMHC and Envea NMHC. This equipment was installed in the new Mannix air monitoring station shelter and instrument testing began in August at the WBEA Centre. The new station was deployed between May 21-25th, 2024 and the equipment is now operational and collecting data.

Continuous Particulate Instrument Evaluation Study: The goal of this study is to understand the differences in PM monitoring technologies and how they may influence PM data in the WBEA Network. This study is separated into two phases:

Phase 1 (Complete) This portion of the study was completed in 2021-2022 and included a co-located study of the old and new PM_{2.5} continuous monitoring technology. The purpose was to (1) understand any differences in response between the technologies, (2) to collect PM₁₀ and PM_{2.5} federal reference method (FRM) data to compare to both technologies for reference, and (3) to compare T640 PM₁₀ data to the FRM for PM₁₀ to validate the T640 as it is not a federal equivalent method (FEM) analyzer for PM₁₀.

Phase 2 (Ongoing) The purpose of phase two is to attempt to find differences in the PM monitoring methods to more accurately collect PM_{2.5} data. The following instruments will be evaluated:

- API T640
- API T640x (FEM for PM 10 & PM 2.5)
- API T640 + BGI mini PM10 head
- SHARP 5030
- Partisol (PM 10)

The Fort McKay South AMS site compound was the chosen location for this study as it has the space and power available to accommodate the study. The shelter, with instruments installed,

was deployed to the Fort McKay South AMS compound in March 2023. Data collection and evaluation is now ongoing. The data collection period will run until Spring 2025; after which, an analysis of the data will be conducted.

3.8 Continue operating a Regional Dustfall Monitoring program.

The WBEA's Ambient Air Technical Committee (AATC) approved the proposed Regional Dustfall Monitoring Proposal at the September 14th, 2022, committee meeting. The study is focused on publicly accessible residential and recreational areas and will measure the monthly collection of dustfall according to the American Society for Testing and Materials 1739-98 method. This study will cover a two-year period. Following the two-year study period, a report will be created comparing the dustfall measurements to the continuous PM_{2.5}, PM₁₀, and TSP measurements also taken at community AMS.

The dustfall collectors were deployed in October 2022 and sampling began in November 2022. Dustfall collectors are deployed at six air monitoring stations: Bertha Ganter – Fort McKay, Patricia McInnes, Athabasca Valley, Anzac, Janvier, and Conklin. Scheduled sampling and routine data review is ongoing.

Exceedances of the Alberta Ambient Air Quality Guideline (AAAQG) for Dustfall in residential and recreation areas (53mg/100cm) are available at <https://wbea.org/data/air-quality-events/>. In Q1 2024-2024 there was one dustfall exceedance at Bertha Ganter – Fort McKay within the program.

3.9 Fulfill monitoring requests from the Fort McKay Air Quality and Odours Advisory Committee (FMAQOAC) Recommendations 14/15 committee in accordance with the schedule outlined in the approved OSM Program work plan. Document all activities completed.

i. Analysis and Reporting of VOC and RSC compounds for the Triggered Samplers.

This project was initiated through the Rec 14/15 committee monitoring workplan. The intent was to design and build VOC canister and RSC tube sampling systems to capture triggered samples during events of semicontinuous NMHC and continuous TRS readings in the Fort McKay region. The WBEA designed and ordered two custom-made triggered samplers – one for RSC compounds, based on a methodology the WBEA developed in 2017, and one for VOCs. Both samplers were installed at Bertha Ganter – Fort McKay AMS in February 2022.

Since deployment, sampling has been ongoing, and operations have been routine. The current RSC trigger is 1.9 ppb TRS/ 5-min average, based on the methodology reference previously. The current VOC trigger is 0.3 ppm NMHC/5-min average which was modified in October 2022 (previous trigger set at 0.6 ppm). These triggers may be updated as necessary based on operational performance.

A data analysis will be conducted on the data up until October 2024. This will be provided to the AATC and Rec 14/15 committees to determine the future of this sampling.

ii. Operation and maintenance of the VOC and RSC Gas Chromatograph analyzers.

The VOC and RSC Gas Chromatographs (GCs) are operational and collecting data at the Bertha Ganter – Fort McKay AMS. The GCs are complex equipment that currently require continual maintenance. Once full implementation and testing is complete, semi-continuous gas chromatograph monitoring

will be included as part of the long-term active air monitoring network. A data format has been finalized and data will be posted to the website.

3.10 Provide data from the WBEA’s ambient air monitoring network.

- i. Maintain processing, validation, and reporting of all WBEA ambient air quality data. Make all data available on the WBEA’s website.*

During the first quarter of 2024-2025, monthly ambient air data was reviewed, as per the WBEA’s monthly data validation process. Quality controlled Level II data was made available on the WBEA’s website 30 days after the end of the calendar month in which the data were collected (<https://wbea.org/data/continuous-monitoring-data/>)

WBEA time-integrated data was collected and centralized within a database. A catalogue containing sample types, number of data points, and date ranges is available to view on the WBEA website. Time-integrated data can be refined and downloaded in a spreadsheet format from the website. The catalogue and download page are available at: <https://wbea.org/data/time-integrated-data-search/>

- ii. Report exceedances of the Alberta Ambient Air Quality Objectives and Guidelines, and non-compliances of the Air Monitoring Directive to the Alberta Government as established by WBEA’s Immediate Reporting Protocol and the Fort McKay Acute Response Triggers (FMART) Process.*

The WBEA notifies members of exceedances in the ambient air network using the Air Quality Events app. Exceedances are also reported at quarterly committee meetings and through the WBEA’s ambient air monitoring monthly data reports. These reports can be found at <https://wbea.org/monthly-continuous-data-and-calibration-reports/>

In the fourth quarter of 2023-2024, there were a total of 71 recorded exceedances detected within the WBEA network (Table 8). Users can search all exceedances through the WBEA’s Air Quality Events website (<https://wbea.org/data/air-quality-events/>).

Non-compliances of the AMD that occurred in the WBEA network in the fourth quarter of 2023-2024 are listed in Table 9. There were no non-compliances in March 2024.

Table 8. Total number of Exceedances by Parameter, from January to March 2024

Event Type	Parameter						Total
	H ₂ S	PM _{2.5}	O ₃	SO ₂	Dustfall	TSP	
AAAQG	-	22	-	-	7	-	29
AAAQO	33	6	-	-	-	3	42
Total	33	28	0	0	7	3	71

Table 9. WBEA Non-Compliances, January to March 2024

Reporting Period	Date Reported	Alberta EPA Reference Number	Location	Brief Description	Issue	Remedial Action
January	24-Jan-24	424206	Fort Chipewyan	The CO2 analyzer at the Fort Chipewyan AMS operated for less than 90% of December 2023, due to operator error.	On December 26, an onsite CO2 calibration failed the AMD criteria due to operator error, resulting in no valid calibration for the month of December. Prior to this incident, all daily quality assurance checks for the month of December were within AMD criteria. Following this incident, the CO2 daily span was above the AMD limits. The WBEA conducted a remote investigation and maintenance to correct the linearity of the instrument on January 3. On January 18, the CO2 analyzer's regular functionality was ultimately restored and resolved the issue following an on-site multipoint calibration. During the data validation process, the WBEA conservatively invalidated data between December 26 and January 18, resulting in 545 hours of invalid data.	The WBEA has communicated with the right personnel regarding this operator error and provided them with tools and training to avoid the error in future.
January	24-Jan-24	424246	Lower Camp Met Tower	The WS/WD/VWS at the 45-meter, 100-meter and 163-meter elevation at Lower Camp Met Tower operated less than 90% of January 2024, due to ice fog events.	Throughout January 2024, intermittent flat-line periods in the WS/WD/VWS sensors' output signal at all three elevations occurred. Ice fog interfering with the sonic sensors is considered to be the most likely cause and the sensor operation returned to normal once weather conditions changed. Also, intermittent periods of data acquisition system failure resulted in additional downtime. During the data validation process, a total of 181, 121, and 143 hours were invalidated at the 45-meter, 100-meter, and 163-meter elevations, respectively.	NA
January	21-Feb-24	425140	Anzac	The THC/NMHC/CH4 analyzer at Anzac AMS operated less than 90% of January 2024, due to two different issues.	There were two issues associated with the operation of the THC/NMHC/CH4 analyzer that resulted in 122 hours of analyzer downtime. - On January 15 and January 24, the instrument's	The analyzer was replaced on January 30 to rectify this issue.

					<p>baseline was within acceptable AMD criteria, however, the data appeared noisy, and the baseline was dipping. An investigation, and subsequent maintenance, was conducted to resolve the issue, resulting in 70 hours of invalid data.</p> <p>- On January 30, the noisy data and dipping baseline issue persisted, prompting the replacement of the analyzer. The replacement, and subsequent performance verification, resulted in an additional 52 hours of invalid data.</p>	
January	23-Feb-24	425252	Stony Mountain	<p>The THC/NMHC/CH4 analyzer at Stony Mountain AMS operated less than 90% of January 2024, due to the station door was compromised and station temperature dropped below the range required for adequate operation of the air monitoring equipment.</p>	<p>On January 2, the station door was compromised, and the station temperature dropped below the range required for adequate operation of the air monitoring equipment. The WBEA completed repairs to the door and invalidated data associated with this period for a total of 90 hours. Additionally, throughout the remainder of the month, the instrument baseline appeared unstable. The WBEA completed several troubleshooting and maintenance activities to return the instrument to normal operation and ultimately replaced the instrument on January 23. Data was invalidated for periods of unstable baseline and maintenance for a total of 262 hours.</p>	<p>The WBEA completed repairs to the door and invalidated data associated with the incident.</p>
February	11-Mar-23	425774	Surmont 2	<p>The THC analyzer at the Surmont 2 air monitoring station (AMS) operated less than 90% of February 2024, due to suspected zero-air generator.</p>	<p>During the daily system check on February 24, the daily zero for THC was elevated and the daily span response was outside the AMD criteria. The WBEA investigated and determined the zero-air generator was defective and could not maintain adequate pressure. On February 26, the zero-air generator was replaced, its performance was verified, and the issue was resolved. During the monthly data validation process a total of 86 hours of data were invalidated due to this incident, resulting in an 86% operational time for February.</p>	<p>The zero-air generator was replaced, and analyzer performance check was completed.</p>

February	12-Mar-23	425820	Lower Camp Met Tower	The WS/WD/VWS sensor at the 163-meter elevation at Lower Camp Met Tower operated less than 90% of February 2024, due to ice fog and data logger communication issues.	Throughout February, there were intermittent flat-line periods in the WS/WD/VWS sensors' output signal at the 163-meter elevation. Ice fog interfering with the sonic sensor is the most likely cause and the sensor operation returned to normal once weather conditions changed. Also, periodic failure of the data acquisition system resulted in additional downtime. During the data validation process, a total of 92 hours of data were invalidated, resulting in 87% operational time for February.	The logger net was reset.
----------	-----------	--------	----------------------------	---	---	---------------------------

iii. *Provide real-time air quality data from continuous air monitoring stations to EPA real-time website in the required format.*

Real-time air quality data is provided on a continual basis to Alberta EPA via a secure file upload from the WBEA Data Management System.

iv. *Submit Monthly Ambient Air Monitoring Report to the Alberta Government and submit data to the EPA Air Data Warehouse.*

Table 10 lists the Monthly Air Monitoring Reports and Quality Assured Data that were submitted electronically via the Electronic Transfer System (ETS) to Alberta EPA.

Table 10. Schedule of Monthly Air Monitoring Reports and Quality Assured Data Submissions from January to March 2024

Monthly Air Monitoring Report and Quality Assured Data	Date Submitted
January 2024	February 29, 2024
February 2024	March 28, 2024
March 2024	April 30, 2024

v. *Provide WBEA data to citizens, industry members, regulatory bodies, and governments so that it can be used to make informed decisions on health, facility compliance, and environmental management and policy. All data management and accessibility outcomes will be in alignment with the OSM Program direction.*

The WBEA makes data accessible on the WBEA website. Data is further disseminated through the Alberta Data Warehouse, community outreach activities, and through WBEA committee meetings. The WBEA engages with members including Indigenous communities, industry, three levels of government, and non-government organizations. The WBEA works with Alberta EPA and OSM Program staff to ensure data management and accessibility outcomes are aligned.

vi. *Any data not submitted to the Alberta Data Warehouse or not on the WBEA website will be provided directly to Alberta EPA in an agreed upon format within three months of data collection.*

If data is not submitted to the Alberta Air Data Warehouse or not posted on the WBEA website, the WBEA will provide the data to Alberta EPA in an agreed-upon format within three months of data collection.

vii. *Submit the WBEA Continuous Ambient Air Quality Monitoring Program Annual Report 2023 – Volume 1 Continuous Data; Volume 2 Integrated Data; and Volume 3 Site Documentation.*

The 2023 Annual Report was submitted on March 28th, 2024 and is available online at <https://wbea.org/resources-section/annual-data-report/>.

3.11 Participate in Oil Sands Monitoring (OSM) Program related to optimizing and improving the active air monitoring network in the Athabasca Oil Sands Region (AOSR).

i. Participate in OSM Program Committees, activities, workshops, and webinars.

From April to June 2024, the WBEA participated in the OSM Air and Deposition TAC meetings, as required.

ii. Implement any additions, deletions, or any other changes to the WBEA active air monitoring network consistent with approved OSM Program workplan(s).

Based on the 2024-2025 workplan, there were no additions, deletions, or other changes to the WBEA active air monitoring network that were not previously identified.

iii. Document any additions, deletions, or any other changes to the WBEA continuous or time-integrated air monitoring network not indicated previously. Identify and describe any deviations from the approved OSM Program.

Based on the 2024-2025 workplan, there were no additions, deletions, or other changes to the WBEA continuous or time-integrated air monitoring network that were not previously identified.

iv. Participate in development of Adaptive Monitoring Approach for Active Air Monitoring Network.

From April to June 2024, the WBEA participated in the OSM Air and Deposition TAC meetings, as required.

4. Integrated Atmospheric Deposition Monitoring, 2023-2024 Work Plan Reference A-PD-6-2324

Atmospheric deposition is a critical pathway that links stressors to responses. Deposition monitoring data are used by the Oil Sands Monitoring Program to assess responses, and to help determine the source(s) of stressors. The primary objectives for atmospheric deposition long-term monitoring are to:

- (1) Determine levels and changes of atmospheric deposition for specific pollutants that pose a likely risk for forest, river, lake, and wetland ecosystem function (OSM Objective #1 and #2)*
- (2) Quantify the contribution of OS emissions to deposition of pollutants of concern, particularly at ecological monitoring sites, and provide these data to ecological effects monitoring projects (OSM Objectives #1 and #2)*
- (3) Improve integration within and across themes, including continued model comparison and delivering deposition maps required by other themes (OSM Objective #3)*

This work plan monitors the spatial and temporal changes in deposition of pollutants of concern at relevant ecological monitoring sites, including: acidifying (e.g., nitrogen, sulphur, and base cations) and eutrophying (e.g., nitrogen) pollutants at forest and wetland sites; and contaminants (i.e., polycyclic aromatic compounds (PACs) and trace metals) at forest, wetland, and aquatic sites. This work plan also contains environmental effects monitoring related to deposition, including: soil and forest health indicators, and fen/bog indicators. These effects monitoring activities are co-located with deposition monitoring to allow for an assessment of if/how deposition is affecting the environment.

Source apportionment analyses and chemical transport models can both determine the contribution of specific OS and non-OS sources to deposition. Deposition modelling and GIS techniques will support the estimation of deposition at ecological monitoring sites where deposition is not actually measured, and allow for determination of contribution of OS sources. The key modelling tool that will enable the above is GEM-MACH, which is an observation-evaluated tool that simulates emissions, transport, transformation, and deposition, and is used for scenario testing. GEM-MACH will be used in a 'service delivery role by 2024 (e.g., providing annual deposition maps, scenario-testing), with transition to that role finishing 2022-23, including comparison against surface observations. Beyond 2024, GEM-MACH will undergo periodic evaluations and updates as emissions evolve and inputs/science improves.

Integration is an on-going and iterative process. The focus for 2023/24 will be: (i) completion of model comparison to surface monitoring network data, (ii) improvement using data from past studies and long-term monitoring, (iii) configuration of the model and its inputs to provide deposition maps and output to estimate change and for adaptive monitoring purposes, (iv) further alignment of deposition monitoring methods and approaches across the OS Regions, and (iv) continued transitioning, as appropriate, to the adaptive monitoring framework including formalizing baseline and limits of change for ambient deposition surveillance monitoring and modelling.

The following objectives relate to ambient deposition and effects surveillance monitoring (and should not be conflated with the OSM Program Objectives noted previously):

- 1) Monitor air concentrations and deposition of nitrogen, sulphur, base cations, and ozone at forest and wetland sites in the Oil Sands Regions, as well as nitrogen and sulphur deposition at two downwind transboundary sites. These data are directly used with data from Objective #2 for assessing stressor-response links, as well as for model comparison (see Objective #9).*
- 2) Monitor soil and vegetation parameters in the Athabasca and Cold Lake regions for indicators of vegetative changes and acidification. Soil measurements are integrated with measured and/or modelled deposition data to assess stressor-response linkages.*
- 3) Monitor temporal and spatial changes in deposition through regional collection of lichen samples for trace metals, PAHs, total nitrogen, and total sulfur. Data derived from this biomonitoring provides critical information about the extent of stressors entering ecosystems via the deposition pathway. These data are also necessary for the Groundwater, Surface Water, and Terrestrial TACs to investigate effects and attribute these effects to specific sources.*
- 4) Continue operating a monitoring site where all deposition measurement methods are co-located with an existing continuous monitoring station for the purpose of ensuring measurement comparability.*
- 5) Test surrogate surface samplers, a method to quantify fugitive dust deposition, at a subset of air monitoring stations for the spring, summer and fall. If validated, these data will complement the wintertime snowpack measurements allowing for direct year-round quantification of fugitive dust deposition.*

The following section provides details on the Q1 2024-2025 milestones and objectives under Workplan A-PD-6-2425 (Integrated Atmospheric Deposition Monitoring) and is based off the 2023-2024 deliverables in Government of Alberta contract 24RSD828.

4.1 Operate and maintain the Denuder sampling program, including routine sample changeouts and equipment maintenance.

Routine denuder sample changeouts are completed monthly. Dates for this quarter’s denuder changeouts are:

- April 2 – 4th, 2024
- April 29 – May 1st, 2024
- June 4 – 6th, 2024

A denuder design update to improve temperature control and flow rate precision was started in August 2023. A review of the data and observations made by the Deposition Technicians indicated an issue with the flow rate. The actual flow rate differed from the rate logged by 0.5. Deposition technicians worked with the manufacturer to fix the issue. Denuder data is in the process of being reviewed and corrected as the flow rate is used in the calculation of concentrations.

In December 2023, the TEEM committee approved a proposal to expand the denuder program into the Peace Athabasca Delta in two locations: (1) at the Fort Chipewyan Air Monitoring station, and (2) at a remote area near the Jackfish Reserve in the Peace Athabasca Delta (Figure 2). The denuders will be changed out monthly by ACFN and MCFN staff that currently maintain the AMS and time-integrated equipment. The denuders were installed in late February and sampling began in March 2024.




Figure 1. Map of the existing denuder/passive locations (yellow symbols) and the new locations of denuders/passives deployed in/near Fort Chipewyan.

4.2 Operate and maintain the Passive sampling program, including routine sample changeouts and equipment and site maintenance.

All passives are co-located with a denuder (see Figure 2 for locations). Passives sample for Nitrogen Dioxide (NO₂), Ozone (O₃) and Sulphur Dioxide (SO₂). Routine passive changeouts are completed monthly and dates for this quarter's passive changeouts are:

April 2 – 4th, 2024

April 29 – May 1st, 2024

June 4 – 6th, 2024

In December 2023, the TEEM committee approved a proposal to expand the passive program into the Peace Athabasca Delta at a remote area near the Jackfish Reserve in the Peace Athabasca Delta, collocated with the denuder in this area. The passives will be changed monthly by ACFN and MCFN staff that currently maintain the AMS and time-integrated equipment. Sampling began in March 2024.

4.3 Operate and maintain the Ion Exchange Resins network sampling program, including routine sample changeouts and equipment and site maintenance.

Ion-exchange resin (IER) samples were changed out between May 6th to 9th, May 23rd to 24th and May 28th to 29th. Due to wildfires near the town of Fort McMurray and resulting evacuations, some IER changeouts were paused until the end of the month when helicopters were available, and it was safe to fly.

In December 2023, the TEEM committee approved a proposal to expand the IER program into the Peace Athabasca Delta in two locations:

(1) at the Fort Chipewyan Air Monitoring station, and (2) at a remote area near the Jackfish Reserve in the Peace Athabasca Delta (Figure 3). These IERs will be changed out seasonally by ACFN and MCFN staff that currently maintain the AMS and time-integrated equipment. Equipment was transported to Fort Chipewyan in February and deployed on May 28th and 29th.

On June 4th, the TEEM committee approved a proposal to add two IER sites (one open/bulk, one throughfall) at the Lower Buckton Monitoring site. After two years of data collection, the data will be reviewed and a determination of the future of this monitoring within the buffalo herd range will be reviewed by the committee.




Figure 3: Map of the existing IER locations (yellow symbols = freefall, blue symbols = throughfall) and the new locations of IERs (red symbols) in/near Fort Chipewyan and within the Ronald Lake Buffalo Herd range.

4.4 Operate and maintain the Turf Surrogate Surface Sampler pilot program, including routine sample changeouts, equipment and site maintenance, and data review.

The Turf Surrogate Surface Sampling (TSSS) project was initiated to collect dry-depositing gases using a method based on trials conducted in the USA. The TSSS consists of a disk-shaped airfoil supporting an artificial turf disk, which aims to collect the gases without altering the existing turbulent flow.

Two TSSS collectors were deployed June 12th, 2023, at Bertha Ganter – Fort McKay AMS and Wapasu AMS. TSSS are co-located with both a precipitation and a dustfall collector. The final TSSS sample for the season was retrieved on October 10th and the housing was brought back to the WBEA Centre. Data for the season was received in November and went through a thorough review. As this was a trial project, several issues were encountered such as: (1) several sample incidents occurred with the turf blowing off the sampler, (2) laboratory failed to follow proper labelling and cleaning procedures, and (3) the provided SOP was missing steps. In June 2024, the TEEM committee passed a motion to pause the project until these issues could be resolved.

4.5 Operate and maintain the Remote Ozone Network monitoring program, including routine and preventative maintenance, and data review.

Ozone is a “secondary pollutant” as it is not emitted directly into the air but is created by chemical reactions between oxides of nitrogen (NO_x) and volatile organic compounds (VOCs) in the presence of

ultraviolet radiation. As ozone is not emitted directly from a source, ozone creation and transportation can occur distances away from primary emission sources.

The Remote Ozone Monitoring program was proposed to and approved by the TEEM Committee at the September 14th, 2022 meeting. The program was created to provide continuous 15-minute measurements of ozone and meteorological conditions in remote areas around the RMWB during the annual growing season (i.e., April through October). The two main objectives of the Remote Ozone Program are to (1) measure ground-level ozone increases due to stratosphere-troposphere exchange (STE), and (2) measure the transformation of ozone created as a secondary pollutant from oil sands emissions (ROM). Initial deployment of the equipment in 2022 indicated the equipment was very sensitive to cold temperatures. The WBEA purchased cold-weather kits for the unit and trialed deployment at Athabasca Valley AMS from November 2023 to February 2024. Results showed that although the unit turns off in extreme temperature drops, it will turn back on when temperatures rise and thus the ozone monitoring program was initiated in early 2024 at a total of four locations (Figure 4).

STE Program: On February 28th, 2024, an ozone analyzer was deployed remotely at site 2001; this site was chosen since it is to the north-west and therefore ozone levels would not be influenced by industrial emissions and could instead capture the stratosphere-troposphere exchange. The analyzer remains deployed and is collecting data.

ROM Program: Three ozone analyzers were deployed in early May 2024. Two analyzers were deployed at remote locations (4002 and 4414) and one analyzer was co-located at AMS 17 (Wapasu station) which has a continuous ozone monitor, allowing for comparison among the two equipment types. The analyzer at 4414 was experiencing communication and pump flow issues during deployment so it was brought back to the WBEA Centre for further troubleshooting.




Figure 4. Map of Remote Ozone program monitoring locations. Yellow symbol indicates the location of the STE program analyzer, and red symbols indicate the location of the ROM program analyzers.

4.6 Operate and maintain the Meteorological Towers data collection program, including tower inspections and maintenance, equipment maintenance, and annual calibrations.

The Regional Meteorological Network (MET) provides continuous, hourly measurements of meteorological conditions in remote areas around the Wood Buffalo region. The WBEA operates six meteorological towers. Data collected by these towers are used for deposition calculations and modelling. The data is reviewed weekly and validated monthly.

On May 24th, during IER changeouts, Deposition technicians found the solar panel had fallen off the tower at site 1007. A tower contractor will be installing a new solar panel in July.

Tower conditions were checked visually during routine sampling, which generally occurs monthly. Maintenance was scheduled as needed.

4.7 Provide an update on the Forest Health Monitoring program, including site maintenance, data review, and planning for the 2024 campaign.

The Forest Health Monitoring (FHM) program was established in the 1990s to examine the effects of deposition on soil chemistry, soil biology and vegetation. Field work to collect data is completed every six years, with the next campaign in August 2024.

A series of planning workshops was initiated, with the goal to (1) align all members (community, industry, government, science advisors, WBEA staff) on the FHM objectives and history, and (2) review and decide on any outstanding recommendations from the 2018 report and determine the path forward. The first workshop was held November 7th and 8th 2023 where the history and results of the project to date were reviewed. The second workshop was held January 30th and 31st 2024 and topics included review of the previous workshop, a review of the TPP recommendations and the beginning of determining priority indicators for upcoming monitoring programs. A third Forest Health workshop was held April 10th and 11th, 2024 which included a presentation of other OSM programs, discussions around proposed additions of *Cladonia mitis* lichen and blueberries as focus studies to the 2024 campaign, and a review of key plants of interest to WBEA members. Workshops were paused for the summer so WBEA staff can focus on the preparations for the field campaign; the WBEA anticipates a fall workshop to be organized after sampling has been completed.

A review and update of the TEEM procedures manual continued this quarter. Communications with science advisors for the soil and vegetation portions of the Forest Health program continued and contracts were developed. The science advisors reviewed the procedures and recommendations have been reported to the WBEA. Any recommendations for major changes (e.g., pause of the edge program, optimization of soil sample numbers) have been proposed to the TEEM committee. Overall, the science advisors confirmed that the procedures manual continues to follow best practices for both soil and vegetation monitoring.

Four proposals with changes to the Forest Health program were reviewed by the TEEM committee across three meetings (May 8th, June 4th and June 20th 2024). All proposals were approved by the committee. The proposals were as follows:

Indigenous Indicator - Deposition Impacts on *Cladonia mitis* Lichen (Focus Study): The WBEA proposed the addition of *Cladonia mitis* (Caribou lichen), a ground-dwelling lichen that is a key food source to the Woodland Caribou and makes up a major component to the understory biomass at the jack pine sites. Lichen will be collected at the 25 forest health sites at the same time as the long-running sampling of the epiphytic lichen *Hypogymnia physodes*. Indigenous ecological knowledge will also be collected on both the health of the lichen and the surrounding jack pine forest.

Indigenous Indicator – Deposition Impacts on Traditional Food (Focus Study): The WBEA proposed the addition of blueberry collection and analysis at eight sites with known deposition levels. Sites were chosen for high, medium and low levels of deposition. Indigenous ecological knowledge will also be collected on the health of the blueberries at each site.

Pause of the Edge Program: The edge program is a subset of the Forest Health program that aimed to understand whether forest edges facing emissions sources would experience greater deposition-related impacts. A thorough review of the data began in 2024 and results did not show consistent patterns indicating that edges had different or larger impacts from deposition. Until all data has been reviewed, the WBEA proposed pausing the edge program in 2024.

Soil Sample Number Optimization: The WBEA proposed an optimization of the number of soil samples collected as a result of a recommendation after the 2018 field campaign that indicated less soil may need to be collected to maintain the same level of statistical power. Soil science advisors conducted the power analysis, and it was determined power could be maintained with a 50% reduction in soil samples, which would result in 36 samples per site instead of 68. The sample size reduction will be implemented in the 2024 field campaign.

Site maintenance is conducted annually at Forest Health sites. With an upcoming field campaign in 2024, more extensive site maintenance was started in May 2024. Deposition technicians have been actively preparing sites by ensuring all stakes and flagging are visible, updating tagging on trees, collecting updated coordinates for all soil and vegetation plots, clearing helicopter landing pads, and updating site documentation.

4.8 Provide an update on the 2021 Lichen sampling program.

All lichen samples collected as part of the 2021 regional lichen monitoring program were cleaned and ground based on the analyses required. The ground inorganic samples were sent to respective labs for analyses, and all data has been received.

To ensure comparability of PAC/PAH results with previous lichen analyses, a trial analysis was completed last quarter using lichen samples from 2014. The methods of the new lab proved to be comparable with past analyses results and analysis of the 2021 samples was completed. Results have been received and the data review process has continued this quarter.

4.9 Data & Reporting

- i. Maintain public access to WBA deposition data via the WBEA website.*

Public access to the searchable deposition database, and additional historical excel datasets, can be found at <https://wbea.org/data/time-integrated-data-search/>

ii. Provide support for ongoing analysis and interpretation of deposition monitoring and modeling data.

The WBEA Science Advisors continue to support the OSM Model-Measurement Intercomparison. In addition, support for analysis and interpretation of WBEA data is provided upon request.

iii. Provide WBEA data to citizens, industry members, regulatory bodies and governments, so that it can be used to make informed decisions on health, facility compliance, and environmental management policy. All data management and accessibility outcomes will be in alignment with the OSM Program direction.

Data collected under the Integrated Atmospheric Deposition Monitoring workplan is available to view on and/or download from <https://wbea.org/data/time-integrated-data-search/>. Users can search the WBEA's catalogue of data and can filter for specific sample types, date ranges, etc.

4.10 Changes to the Monitoring Network.

i. Participate in Oil Sands Monitoring (OSM) Program committees, activities, workshops and webinars related to optimizing and improving the atmospheric deposition monitoring network in the AOSR.

From April to June 2024, the WBEA participated in the OSM Air and Deposition TAC meetings, as required.

ii. Implement any additions, deletions or any other changes to the WBEA atmospheric deposition monitoring network consistent with approved OSM Program work plan(s).

There were no changes to the WBEA atmospheric deposition monitoring network during this quarter that were not indicated previously.

iii. Document any additions, deletions or any other changes to the WBEA atmospheric deposition monitoring network not indicated previously. Identify and describe any deviations from approved OSM Program work plan(s).

There were no changes to the WBEA atmospheric deposition monitoring network during this quarter that were not indicated previously.

5. Appendix A – Adhering to Contract Clauses

Clause 9

As per Clause 9, Personnel Replacement, of the WBEA Contracts with Alberta EPA, the WBEA is required to report any changes to the list of key personnel. The WBEA made no changes to its key personnel list during this reporting period. Any changes would be communicated to the Alberta EPA within five business days of the change.

Clause 12

As per Clause 21, Conflicts of Interest and Ethical Conduct, of WBEA's Contracts with Alberta EPA, the WBEA is required to report all potential or perceived conflicts of interest. The WBEA noted the following potential or perceived conflicts of interest during this reporting period (Table 11). These conflicts are communicated to the Alberta EPA via email within five business days of each meeting.

Table 11: Declared Conflicts of Interest in Q1, April to June 2024

Date	Meeting	Member	Member Organization	Declared Conflict of Interest
May 8, 2024	AATC/NAWG	Greg Wentworth	Alberta EPA	Works for EPA and participates on OSM Air and Deposition TAC
		David Spink	Fort McKay First Nation	Participates on OSM Air and Deposition TAC, participated in two Indigenous Community Based Monitoring (ICBM) project submissions that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Danlin Su	Fort McKay First Nation	Participated in two ICBM project submissions that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Courtney Brown	Canadian Natural	Participates on Air and Deposition TAC
		Charles Grimm	Suncor	Participates on OSM Air and Deposition TAC
May 8, 2024	TEEM (Special Meeting)	David Spink	Fort McKay First Nation	Participates on OSM Air and Deposition TAC, participated in two Indigenous Community Based Monitoring (ICBM) project submissions that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Greg Wentworth	Alberta EPA	Works for EPA and participates on OSM Air and Deposition TAC
		Carla Davidson	Fort McKay First Nation	Participates on OSM's Oversight committee and OSM Air and Deposition TAC
		Charles Grimm	Suncor	Participates on OSM Air and Deposition TAC
		Sunhee Cho	Alberta EPA	Participates on OSM Air ATC
April 26, 2024	GC Meeting	Curtis Brock	EPA	Works for EPA
May 24, 2024	GC Meeting	Ryan Abel	Fort McKay First Nation	Participates on OSM Air and Deposition TAC and OSM Oversight Committee as alternate and OSM Indigenous Caucus
		Curtis Brock	EPA	Works for EPA
June 5, 2024	AATC	Greg Wentworth	EPA	Works for EPA and participates on OSM Air and Deposition TAC
		David Spink	Fort McKay First Nation	Participates on OSM Air and Deposition TAC, participated in two Indigenous Community Based Monitoring (ICBM) project submissions

				that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Danlin Su	Fort McKay First Nation	Participated in two ICBM project submissions that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Courtney Brown	Canadian Natural	Participates on Air and Deposition TAC
June 4, 2024	TEEM (Special Meeting)	David Spink	Fort McKay First Nation	Participates on OSM Air and Deposition TAC, participated in two Indigenous Community Based Monitoring (ICBM) project submissions that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Greg Wentworth	Alberta EPA	Works for EPA and participates on OSM Air and Deposition TAC
		Carla Davidson	Fort McKay First Nation	Participates on OSM's Oversight committee and OSM Air and Deposition TAC
		Charles Grimm	Suncor	Participates on OSM Air and Deposition TAC
		Sunhee Cho	Alberta EPA	Participates on OSM Air and Deposition TAC
		Courtney Brown	Canadian Natural	Participates on Air and Deposition TAC
June 14, 2024	GC Meeting	Ryan Abel	Fort McKay First Nation	Participates on OSM Air and Deposition TAC and OSM Oversight Committee as alternate and OSM Indigenous Caucus
		Curtis Brock	EPA	Works for EPA
June 19, 2024	GM Meeting	Luc White	ECCC	Works for ECCC
		Ryan Abel	Fort McKay First Nation	Participates on OSM Air and Deposition TAC and Oversight Committee as alternate, and Indigenous Caucus
		Curtis Brock	EPA	Works for EPA
		Greg Wentworth	EPA	Works for EPA and participates on OSM Air and Deposition TAC
June 20, 2024	TEEM	David Spink	Fort McKay First Nation	Participates on OSM Air and Deposition TAC, participated in two Indigenous Community Based Monitoring (ICBM) project submissions that involve the WBEA (Fort McKay Métis Nation – odour project & Fort McKay First Nation – dust project)
		Carla Davidson	Fort McKay First Nation	Participates on OSM's Oversight committee and OSM Air and Deposition TAC
		Courtney Brown	Canadian Natural	Participates on OSM Air and Deposition TAC
		Sunhee Cho	Alberta EPA	Participates on OSM Air and Deposition TAC

6. Appendix B – Summary of Air Monitoring Stations & Parameters in the WBEA Network

Continuous Monitoring Measurements

Table 12 provides a list of stations names and parameters measured by continuous methods, which include sulphur dioxide (SO₂), nitric oxide/nitrogen dioxide (NO/NO₂), ozone (O₃), PM_{2.5}, total reduced sulphur (TRS), hydrogen sulphide (H₂S), total hydrocarbons (THC), methane (CH₄), non-methane hydrocarbons (NMHC), carbon monoxide (CO), carbon dioxide (CO₂) and ammonia (NH₃).

Table 12: Summary of stations and continuously measured parameters at WBEA Air Monitoring stations

Station name	SO ₂	NO/NO ₂ /NO _x	O ₃	PM _{2.5}	TRS	H ₂ S	THC	CH ₄	NMHC	CO	CO ₂	NH ₃
BERTHA GANTER-FORT MCKAY	X	X	X	X	X	X	X	X	X	X	X	X
MILDRED LAKE	X					X	X	X	X			
BUFFALO VIEWPOINT												
MANNIX	X	X	X	X		X	X	X	X			
PATRICIA MCINNES	X					X	X	X	X			
ATHABASCA VALLEY	X	X	X	X	X		X	X	X			X
FORT CHIPEWYAN	X	X	X	X	X		X	X	X	X		
BARGE LANDING	X	X	X	X	X					X	X	
LOWER CAMP	X	X		X	X		X	X	X			
FORT MCKAY SOUTH	X					X	X	X	X			
ANZAC	X	X	X	X	X		X	X	X			
WAPASU	X	X	X	X	X		X	X	X			
STONY MOUNTAIN	X	X	X	X		X	X					
FIREBAG	X	X	X	X	X		X	X	X	X	X	
MACKAY RIVER	X	X				X	X					
CONKLIN	X	X				X	X					
JANVIER	X	X	X	X	X		X	X	X			
FORT HILLS	X	X	X	X	X		X	X	X			
WASKOW OHCI PIMATISIWIN	X	X		X	X	X	X	X	X			
CHRISTINA LAKE	X					X						
JACKFISH 2/3	X	X				X						
SURMONT 2	X	x				X						
ELLS RIVER	X	X		X		X	X					
LEISMER	X	X		X		X	X	X	X			
SAWBONES BAY	X	X				X						
JACKFISH 1	X	X				X						
KIRBY SOUTH	X	X				X						
KIRBY NORTH	X	X				X	X					
BLACKGOLD	X	X				X	X					

Continuous Meteorological Measurements

Table 13 provides a listing of stations and meteorological parameters measured by continuous methods. Parameters measured include ambient temperature (Temp), relative humidity (RH), barometric pressure (BP), wind speed (WS), wind direction (WD), vertical wind speed (VWS), global radiation, precipitation, and leaf wetness.

Table 13: Summary of stations and meteorological parameters measured continuously at WBEA Air Monitoring Stations.

Station name	Temp	RH	BP	WS	WD	VWS	Global Radiation	Precipitation	Leaf Wetness
BERTHA GANTER-FORT MCKAY	X ^{1,2}	X ¹		X ²	X ²		X	X	X
MILDRED LAKE	X ¹	X ¹		X ²	X ²				
LOWER CAMP MET TOWER	X ⁴	X ⁴		X ⁴	X ⁴	X ⁴			
BUFFALO VIEWPOINT	X ¹	X ¹		X ²	X ²				
MANNIX	X ⁵	X ⁵		X ⁵	X ⁵	X ⁵			
PATRICIA MCINNES	X ¹	X ¹		X ²	X ²				
ATHABASCA VALLEY	X ¹	X ¹	X	X ²	X ²				
FORT CHIPEWYAN	X ¹	X ¹		X ²	X ²		X		X
BARGE LANDING	X ¹	X ¹	X	X ^{2,3}	X ^{2,3}				
LOWER CAMP	X ¹	X ¹	X	X ²	X ²				
FORT MCKAY SOUTH	X ¹	X ¹		X ²	X ²				
ANZAC	X ¹	X ¹		X ³	X ³				X
WAPASU	X ¹	X ¹		X ²	X ²			X	
STONY MOUNTAIN	X ¹	X ¹		X ³	X ³		X	X	X
FIREBAG	X ¹	X ¹		X ²	X ²				
MACKAY RIVER	X ¹	X ¹		X ²	X ²			X	
CONKLIN	X ¹	X ¹		X ²	X ²				
JANVIER	X ¹	X ¹		X ^{2,3}	X ^{2,3}				
FORT HILLS	X ¹	X ¹		X ²	X ²				
WASKOW OHCI PIMATISIWIN	X ¹	X ¹		X ²	X ²				
CHRISTINA LAKE	X ¹	X ¹		X ²	X ²				
JACKFISH 2/3	X ¹	X ¹		X ²	X ²				
SURMONT 2	X ¹	X ¹		X ²	X ²				
ELLS RIVER	X ¹	X ¹		X ²	X ²		X		
LEISMER	X ¹	X ¹		X ²	X ²				
SAWBONES BAY	X ¹	X ¹		X ²	X ²				
JACKFISH 1	X ¹	X ¹		X ²	X ²				
KIRBY SOUTH	X ¹	X ¹		X ²	X ²				
KIRBY NORTH	X ¹	X ¹		X ²	X ²				
BLACKGOLD	X ¹	X ¹		X ²	X ²				

¹ Parameter measured at 2m.

² Parameter measured at 10m.

³ Parameter measured at 20m.

⁴ Parameter measured at multiple elevations (i.e., 20m, 45m, 100m, 163m).

⁵ Parameter measured at multiple elevations (i.e., 20m, 45m, 75m, 90m).



Time-Integrated Analysis Measurements

Table 14 provides a listing of stations and air quality parameters measured by time-integrated methods. Parameters measured include volatile organic compounds (VOC), particulate matter less than 2.5 µm aerodynamic diameter (PM_{2.5}) and associated metals and ions, elemental carbon-organic carbon (EC/OC), particulate matter less than 10 µm aerodynamic diameter (PM₁₀) and associated metals and ions, polycyclic aromatic hydrocarbons (PAH), precipitation samples, dustfall, and total suspended particulates (TSP).

Table 14: Summary of parameters measured using Time-integrated methods at WBEA Air Monitoring Stations

Station name	VOC	PM _{2.5}	EC/OC	PM ₁₀	PAH	Precip	TSP	Dustfall
BERTHA GANTER-FORT MCKAY	X	X	X	X	X	X		X
PATRICIA MCINNES	X	X		X	X			X
ATHABASCA VALLEY	X	X		X	X			X
FORT CHIPEWYAN	X	X	X	X	X			
BARGE LANDING	X							
FORT MCKAY SOUTH	X			X				
ANZAC	X	X		X	X			X
WAPASU			X			X		X
STONY MOUNTAIN			X			X		
CONKLIN	X	X		X	X			X
JANVIER	X	X		X	X			X
FORT HILLS	X			X				
ELLS RIVER	X			X			X	

Additional Continuous/Semi-continuous Measurements

Table 15 provides a list of stations and continuous/semi-continuous methods that are additional to standard monitoring techniques. Parameters measured include AE33 aethalometer (measures black carbon), visibility sensor, reduced sulphur compounds (RSC) gas chromatography (GC), volatile organic compounds (VOC) GC, triggered VOC, and triggered RSC.

Table 15: Summary of stations and continuous/semi-continuous methods at WBEA Air Monitoring Stations

Station name	AE33 Aethalometer	Visibility Sensor	RSC GC	VOC GC	Triggered VOC	Triggered RSC
BERTHA GANTER-FORT MCKAY	X		X	X	X	X
BUFFALO VIEWPOINT		X				
LOWER CAMP		X				
STONY MOUNTAIN	X					



Research and Development Measurements

Table 16 provides a list of stations and studies conducted by the WBEA for research and development purposes. Current studies conducted at WBEA Air Monitoring Stations include the Continuous Hydrocarbon Instrument Evaluation Study, and the Continuous Particulate Instrument Evaluation Study. The Turf Surrogate Surface Sampler (TSSS) was paused for the 2024 season (see Section 4.4 for more details).

Table 16: Summary of stations and studies for research and development purposes at WBEA Air Monitoring Stations

Station name	Continuous Hydrocarbon Instrument Evaluation Study	Continuous Particulate Instrument Evaluation Study	Turf Surrogate Surface Sampler
BERTHA GANTER – FORT MCKAY			X
MANNIX	X		
FORT MCKAY SOUTH		X	
WAPASU			X

7. Appendix C – Map of the WBEA Monitoring Network

